



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/692,023	10/22/2003	Arno Blau	SCHWP0183USA	8542

7590 06/27/2008
RENNER, OTTO, BOISSELLE & SKLAR, LLP
Nineteenth Floor
1621 Euclid Avenue
Cleveland, OH 44115-2191

EXAMINER

COMSTOCK, DAVID C

ART UNIT	PAPER NUMBER
----------	--------------

3733

MAIL DATE	DELIVERY MODE
-----------	---------------

06/27/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/692,023	Applicant(s) BLAU ET AL.	
	Examiner DAVID COMSTOCK	Art Unit 3733	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 April 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 25 July 2007 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's Request for Continued Examination filed 01 April 2008 has been entered.

Oath/Declaration

The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:

It does not properly state that the person making the oath or declaration acknowledges the duty to disclose to the Office all information known to the person to be material to patentability as defined in 37 CFR 1.56.

Specifically, the language of the declaration should read: "I acknowledge the duty to disclose information which is material to patentability of this application in accordance with Title 37, Code of Federal Regulations Section 1.56." (Section 1.56 should not be qualified by or limited to subsection (a).)

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 3733

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3 and 6-14 are rejected under 35 U.S.C. 102(b) as being anticipated by Bertuch, Jr. (4,305,394).

Bertuch, Jr. disclose a system for positioning an implant 109 comprising a holding element, e.g., 23, 31, 55 and a guiding sleeve 13 (see, e.g., Figs. 1-7). The holding element and implant connect at a threaded interface and both comprise a conically tapered section (i.e. the bottom of the threaded hole in the implant and the end of the threaded connection element of the holding element). The guiding sleeve includes entry and exit openings having rims. The holding element is configured to rotate and translate within the sleeve (as by rotation within the threads 37, cf. Figs. 4 and 5). The holding element has clearly been introduced into the sleeve, but is also removable therefrom by unthreading the threads 25 from the end sleeve 21 and by unthreading the holding element from portion 39.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 4, 5 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bertuch, Jr. (4,305,394) in view of Bertin (5,320,625).

Bertuch, Jr. discloses the claimed invention except for the navigational element. Bertin also discloses a system for positioning an implant 52 comprising a holding element 82, a guiding sleeve 96 and a navigational element 102, 104 on the sleeve (see Figs. 4 and 5). The navigational element allows the device to be positioned accurately to ensure an accurate and effective surgical procedure (see, e.g., col. 11, lines 25-48). It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the implant positioning system of Bertuch, Jr. with a navigational element, in view of Bertin, in order to allow the device to be positioned accurately to ensure an accurate and effective surgical procedure. A sliding element, e.g. 65 (which slides within hole 67), is connected to the guiding sleeve via flange 41 and flange support 39. It is noted that the navigational element as taught by Bertin would be connected to the outer structure, i.e., the guiding sleeve. Even if the device did not set forth sliding elements such as element 65, it would have been further obvious to provide the navigational element on a sliding portion or on any of numerous other known adjustment mechanisms, since it has been held that the provision of adjustability, where needed, involves only routine skill in the art. *In re Stevens*, 101 USPQ 284 (CCPA 1954).

Response to Arguments

Applicant's arguments filed 25 July 2007 have been reconsidered but they are not persuasive.

In response to Applicant's arguments against the device exemplified in figures 11 and 12 of Bertuch, Jr., it is noted that the entire document was cited and relied upon

and includes the embodiments showing translation and rotation of the holding member as set forth in the claims and addressed above. Regarding the navigational element or marker of Bertin, it is noted that Applicant's navigational system is not positively recited in the claims and the element in Bertin is at least capable of being detected or tracked by various known navigation systems including, for example, direct visualization systems, 3D optical scanners, coordinate measuring machines and imaging systems such as "x-ray".

Conclusion

This action is in response to Applicant's Request for Continued Examination filed 01 April 2008. All claims are drawn to the same invention previously claimed and are accordingly subject to final rejection. **THIS ACTION IS MADE FINAL** even though it is a first action in this case. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no, however, event will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Comstock whose telephone number is (571) 272-4710. Please leave a detailed voice message if examiner is unavailable. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached at (571) 272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/David Comstock/
Examiner, Art Unit 3733
/Eduardo C. Robert/

Supervisory Patent Examiner, Art Unit 3733